

Amendments to the Claims:

The listing of claims will replace all prior versions, and listing, of claims in the application:

Listing of Claims:

1. (Previously Amended) A method of managing phone calls initiated from a phone device of a personal digital assistant, the method comprising:

- receiving a call signal to initiate a call device;
- initiating the call device in response to the call signal;
- displaying a selectable interface of the call device in response to the call signal, wherein the selectable interface is configured to substantially emulate a dial pad of a handheld touch tone phone;
- receiving a dial signal from a call initiation button of the selectable interface to initiate a phone call;
- determining whether digits were received from the selectable interface just before the dial signal was received from the call initiation button; and
- initiating the phone call in response to the dial signal, wherein the phone call is placed to a last entered phone number if digits were not received just before the dial signal was received from the call initiation button.

2. (Original) The method of Claim 1, wherein the call signal is received from a hard button of the personal digital assistant.

3. (Currently Amended) The method of Claim 1, wherein the call initiation button is a talk button icon. ~~interface is configured to include a talk button icon.~~

4. (Original) The method of Claim 1, further comprising suspending a current application, wherein the current application is other than the call device.

5. (Original) The method of Claim 1, wherein the phone call is associated with a redialed phone number of a most recent phone call.

6. (Original) The method of Claim 1, further comprising:
receiving a phone number for the phone call; and
searching a memory of the personal digital assistant for a name associated with the phone number.

B' 7. (Original) The method of Claim 1, further comprising:
establishing a connection with another phone device; and
initiating a timer configured to clock a duration of the connection with the other phone device.

8. (Original) The method of Claim 1, further comprising:
receiving a phone number for the phone call;
receiving a save signal to save the phone number; and
initiating an address entry application in response to receiving the save signal.

9. (Original) The method of Claim 7, further comprising:
receiving an ended connection signal; and
initiating a lapse time routine in response to receiving the ended connection signal.

10. (Previously Amended) A portable computer system for managing a phone call, the system comprising:

a personal digital assistant including:

a display device;

a phone device;

a call device configured to control the phone device and to display a selectable interface on the display device, wherein the selectable interface is configured to substantially emulate a dial pad of a handheld touch tone phone;

a hard button configured to initiate the call device; and

a selection mechanism configured to receive user selections from the selectable interface, wherein the selectable interface includes a call initiation button, wherein upon activation of the call initiation button is configured to initiate a phone call to a last entered phone number if digits were not received just before the call initiation button is activated.

11. (Original) The portable computer system of Claim 10, wherein the personal digital assistant is further configured to control phone calls placed and received by the phone device according to the user selections.

12. (Original) The portable computer system of Claim 10, wherein the display device is a touch-sensitive screen, and wherein the selection mechanism includes a tap recognizer configured to identify a tap input from a user.

13. (Original) The portable computer system of Claim 10, wherein the hard button is further configured to suspend a current application.

14. (Original) The portable computer system of Claim 12, wherein the tap recognizer is further configured to initiate a phone call in response to identifying the tap input.

15. (Original) The portable computer system of Claim 12, wherein the tap recognizer is further configured to initiate an address entry application in response to identifying the tap input.

16. (Original) The portable computer system of Claim 12, further comprising a microphone connected to the personal digital assistant, the microphone being configured to receive audio input from a user of the portable computer system, wherein the tap recognizer is further configured to deactivate the microphone in response to identifying the tap input.

17. (Previously Amended) A computer-readable medium carrying one or more sequences of one or more instructions for managing a phone call initiated from a phone device of a personal digital assistant, the one or more sequences of one or more instructions including instructions which, when executed by one or more processors, cause the one or more processors to perform the steps of:

receiving a call signal to initiate a call device;

initiating the call device in response to the call signal;

displaying a selectable interface of the call device in response to the call signal, wherein the selectable interface is configured to substantially emulate a dial pad of a handheld touch tone phone;

receiving a dial signal from a call initiation button on the selectable interface to initiate a phone call;

determining whether digits were received from the selectable interface just before the dial signal was received from the call initiation button; and

initiating the phone call in response to the dial signal, wherein the phone call is placed to a last entered phone number if digits were not received just before the dial signal was received from the call initiation button.

18. (Original) The computer-readable medium as recited in Claim 17, wherein the call signal is received from a hard button of the personal digital assistant.

19. (Currently Amended) The computer-readable medium as recited in Claim 17, wherein the call initiation button is a talk button icon. ~~selectable interface is configured to include a talk button icon.~~

20. (Original) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to carry out the step of suspending a current application, wherein the current application is other than the call device.

21. (Original) The computer-readable medium as recited in Claim 17, wherein the phone call is associated with a redialed phone number of a most recent phone call.

22. (Original) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to carry out the steps of:
receiving a phone number for the phone call; and
searching a memory of the personal digital assistant for a name associated with the phone number.

23. (Original) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to carry out the steps of:
establishing a connection with another phone device; and
initiating a timer configured to clock a duration of the connection with the other phone device.

24. (Original) The computer-readable medium as recited in Claim 17, wherein the instructions further cause the processor to carry out the steps of:
receiving a phone number for the phone call;
receiving a save signal to save the phone number; and
initiating an address entry application in response to receiving the save signal.

25. (Original) The computer-readable medium as recited in Claim 23, wherein the instructions further cause the processor to carry out the steps of:
receiving an ended connection signal; and
initiating a lapse time routine in response to receiving the ended connection signal.
